# MARMAK



### MARMAK Automatic Packaging Machinery Ltd.Co.

Adress: 10032 st. No:19 Atatūrk Organize Sanayi Bölgesi Çiğli / İzmir /TURKEY Phone: +90 (232) 376 7236 Pbx • Fax: +90 (232) 376 72 38

Web: www.marmak.com

MARMAK MARGINE





# For Over 35 Years...















Marmak is the leading machine manufacturer in **Turkey**.

Our production is %100 in house and we specialized in multi-headweighers, linear weighers, and supporting equipmentslikeelevators, rotary tables and conveyor bands.

Marmak exports 65 different countries and can customize weighers according to customer needs. Our factory has 3000 square meter open 5000 square meter closed field in Izmir, **Turkey**.

# STANDART MULTI-HEAD WEIGHERS

MODEL	VM 10 T	VM 12 T	VM 14 T	VM 16 T	VM 20 T	VM 32 T
WEIGHING HEADS	10	10	14	16	20	32
WEIGHING CAPACITY	3000g	3000g	3000g	3000g	3000g	3000g
WEIGHING RESOLUTION	0,1g	0,1g	0,1g	0,1g	0,1g	0,1g
SPEED	90 pac/min	90 pac/min	120 pac./min	150 pac./min	180 pac/min	300 pac/min
POWERSUPPLY	220V 50Hz ot 110V 60Hz, 2KVA	220V 50Hz or 110V 60Hz, 3KVA				

- OIML R61 and EC Type approvals
- · Stepper motors for all actuators
- · Superior accuracy
- •10" color touch screen
- ·Sturdy high quality construction
- \* Easy change over from one to the other product
- · No under weights
- · Self diagnostic
- \*Interfaces with F.F.S., bagger, tray packers, etc.
- Access to all parts for cleaning and proper maintenance

 Higher stability that minimizes the expense of shutdown, trouble shooting, repair & start up

TWATTINGS/C

- \*Better power failure response
- Multi language support
- Independent control of weighing buckets allow running in case of problem with any buckets
- Regarding specific parameters automatic feedback for product adjusting with the help of automatic feeder control (A.F.C.)
- Multiple discharge, sequential discharge options, multiple products in single weigher

# /IM 32 T

### MARMAK









### High speed capacity

- . 2, 3 or 4 pifferent product mixable by 4x8 (32) channel weigher
- 32 Channel Multihead Weigher can work with 2 different FFS machine at the same time by dividing to 2x16 channel
- . Possible to work with pieces

# STICKS WEIGHER



- OIML R61 and EC Type approvals
- •16 heads
- Specially designed for stick cracker
- ·High accuracy matching
- "e" standards
- Load cell controlled main vibrator product level adjustment
- · Stepper motor system
- · Memory cups controlled by stepper motor
- •Special design collection chute for sticks
- \*Air vibrators for settling the sticks together
- •3 level clapping system under the weigher
- •Weighing range from 20g-150g
- \*Easy change for pretzels, ring crackers or etc
- ·Digital, colored touch screen
- · Tare zeroing
- Statistical calculation
- ·Secured against electrical failures

### FRESH MEAT, POULTRY WEIGHER



- •16 heads
- ·Can be completely wash down
- Specially designed linear feeders
- \*High accuracy matching "e" standards
- ·Servo controlled main vibrator
- •Stepper motor system
- •DC Motor controlled, linear feeders
- · Helecoid linear feeders
- Reject System
- · Easy change for product to product
- · Digital, colored touch screen
- Tare zeroing
- ·Statistical calculation



# LARGE CUP WEIGHERS



- •10,14,16 heads
- ·Specially designed linear feeders
- Powerful DC motors with hall sensors
- •5L hopper volume
- · Easy change for product to product
- · Digital, colored touch screen
- · Tare zeroing
- •Statistical calculation
- Secured against electrical failures

# SEPERATE PANEL WEIGHERS



- •10.14.16 heads
- Specially designed electrical panel seperate from weigher
- Weighers can be completely wash down, no electronics inside weigher



# LINEAR WEIGHERS







### LINEAR WEIGHER

- Specialized system design for powdered products
- Product feeding without vibrators
- \*Servo controlled feeding system
- Specialized system design based on maximum product weight
- Precise weighing with load cells
- \*Fully closed product feeding tank
- •8 inch touch screen color display
- Easy data access and program control
- Diagnostic controls
- · Automatic tare removing system
- · Easy setup and operation
- Sturdy high quality construction
- Body and all parts touching to product made from stainless steel

### MINI LINEAR

- Specialized design for low weight products
- Feeding system with two different levels of vibration
- · Stepper motors for all actuators
- . No need of air
- Specialized system design based on maximum product weight
- \*Precise weighing with load cells
- · Single point product feeding
- \*10 inch touch screen color display
- Easy data access and program control
- · Diagnostic controls
- · Automatic tare removing system
- · Easy setup and operation
- Easy demounting cups for cleaning
- ·Sturdy high quality construction
- All parts touching to product is made from stainless steel

### CUT-GATE LINEAR

- \*Specialized for granular products
- Feeding system with load cells and two different levels of vibration
- Precise and high speed operation with double cup load cell controlled system
- \*Precise weighing with load cells
- Single point product feeding
- 10 inch touch screen display
- Easy data access and program control
- Diagnostic controls
- · Automatic tare removing system
- Electronic vibration filter system while weighing
- Easy setup and operation
- Sturdy high quality construction
- All parts touching to product is made from stainless steel



## MARMAK



High Precision

10 (5+5) Channels Weigher for fresh fruit and vegetables

Automatic Bucket Feeding

Servo Controlled Band System

Changable filling nozzle for different Bucket Type

Flexible design adaptable to product application

# MARMAK

# HOPPER TYPES

























Standard Cups





MARMAK

### EC-type examination Certificate

Number T10625 revision 0 Project number 14200159 Page 1 of 1

NAIL Certin B.V., designated and notified by the Neitherlands to perform tasks with respect to conformity modulus mentioned in erticle 9 of Directive 2004/20°C, after having established that the Measuring instrument meets the applicable requirements of Directive 2004/20°C, to:

Manufacturer

Manmak Otomatik Ambalaj Makinalari San. Tic. Ltd. Şti. 10032 Sokak No:19 LA.O.S.B. Çiğli

: VMT or VMT-C

Further properties are described in the annexes:

- Description T16625 revision 0;

- Documentation folder T10625-1,

Valid until

NMi Certin B.V., Notified Body number 0122

C. Doiterman Head Certification Board

Marmak weighers succesfully used around the world in candy, confectionery and snack products, vegetables, salads, greens and mushrooms, meat, fish and seafood, nuts and dried fruit, cheese, fresh fruit, dry soup mixes, coffee and tea, powder, spicery and granulated material, pet food, non-food weighing applications.

